

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

THE PLANT DISEASE REPORTER



Issued By

Division of Mycology and Disease Survey

Supplement 82


Index to Supplements 79 - 81

June 1, 1932



BUREAU OF PLANT INDUSTRY

UNITED STATES DEPARTMENT OF AGRICULTURE



INDEX OF ORGANISMS AND NON-PARASITIC DISEASES
IN
THE PLANT DISEASE REPORTER
SUPPLEMENTS 79-81, 1931

Prepared by Nellie W. Nance

A

- Actinomyces scabies, potato, 95.
- Aecidium gossypii, cotton, 124.
- Albinism (probably genetic)
alfalfa, 66.
- Alternaria sp., date, 89.
brassicae, cauliflower, 113.
rutabaga, 113.
turnip, 113.
solani, potato, 91, 94.
tomato, 102.
- Aphanomyces euteiches, pea, 119.
- Aphelenchus cocophilus, coconut, 90.
fragariae, strawberry, 84.
- Aplanobacter insidiosum, alfalfa, 65.
michiganense, tomato, 103.
stewartii, corn, 63.
- Armillaria mellea, peach, 80.
- Ascochyta gossypii, cotton, 124.
pinodella, pea, 119.
- Ascochyta asparagina, asparagus,
120.
- Aspergillus niger, date, 89.

B

- Bacillus amylovorus, apple, 72, 73.
Cotoneaster pannosa, 130.
Crataegus spp., 134.
pear, 75.
quince, 76.
Sorbus spp., 135.
Spiraea vanhouttei, 131.
aroidae, tobacco, 18.
phytophthorus, potato, 97.
tracheiphilus, cucumber, 114.
squash, 117.
watermelon, 118.

- Bacterial leaf spot (undet.)
tobacco, 21.
soft rot, tobacco, 18.
wilt (undet.), sweet clover, 66.
- Bacterium spp., tobacco, 13, 14, 15,
16, 21, 25, 26.
angulatum, tobacco, 16, 20, 26.
atrofaciens, wheat, 51.
campestre, cabbage, 112.
rutabaga, 113.
armoraciae, horseradish, 113.
citri, citrus, 88.
Citrus trifoliata, 88.
coronafaciens, oats, 59.
cucurbitae, pumpkin, 117.
delphinii, Delphinium spp., 128.
dissolvens, corn, 64.
hyacinthi, Hyacinthus sp., 127.
lachrymans, cucumber, 115.
maculicolum, cabbage, 113.
cauliflower, 113.
malvacearum, cotton, 123.
medicaginis, alfalfa, 65.
medicaginis phaseolicola, bean,
110.
lima bean, 112.
mori, mulberry, 88.
phaseoli, bean, 110.
pisi, pea, 118.
pruni, peach, 80.
plum, 82.
sojae, soybean, 67.
solanacearum, Althea rosea, 127.
Hydrangea, 131.
Hydrangea arborescens, 127.
Ricinus communis, 126.
tobacco, 27.
syringae, Syringa spp., 131.
tabacum, tobacco, 14, 16, 18, 26.

Bacterium (Continued)

- translucens, barley, 55.
- tumefaciens, *Acer pseudoplanus* 135.
- Euonymus radicans*, 131.
- Juniperus sabina*, 133.
- peach, 80.
- raspberry, 86.
- Sorbus aucuparia*, 135.
- vesicatorium, pepper, 107.
- tomato, 103.
- vignae, lima bean, 112.
- Bark rot, orange, 88.
- Bitter pit, apple, 74.
- Black heart (non-par.), celery, 118.
- Blast (Undet.), oats, 59.
- Blossom-end rot (non-par.), pepper, 107.
- tomato, 106.
- Blotch, grapefruit, 88.
- Botrytis sp., cabbage, 113.
- Callistephus chinensis*, 126.
- cowpea, 67.
- Cyclamen* sp., 127.
- Lilium auratum*, 128.
- candidum, 128.
- Narcissus* spp., 128.
- cinerea, currant, 87.
- Lilium* spp., 128.
- peach, 80.
- strawberry, 85.
- elliptica, *Lilium candidum*, 128.
- Lilium longiflorum*, 128.
- Lilium superbum*, 128.
- Lilium testaceum*, 128.
- narcissicola, *Narcissus* spp., 128.
- tulipae, *Tulipa* spp., 130.
- Breaking-over, wheat, 52.
- Brown bark spot (non-par.) *Sorbus* spp., 135.
- Brown root rot (undet.), tobacco, 27.

C

- Caconema radiculicola*, *Aconitum* sp., 128.
- Antirrhinum majus*, 129.

Caconema radiculicola (Continued)

- corn, 64.
- cucumber, 115.
- Dianthus caryophyllus*, 126.
- fig, 88.
- Lathyrus odoratus*, 129.
- strawberry, 85.
- sweet potato, 109.
- tobacco, 14, 20.
- tomato, 106.
- Calypsotheca columnaris*, huckleberry, 87.
- Vaccinium corymbosum*, 87.
- Canker (high temperature), beet, 120.
- Catenularia fuliginea*, date, 89.
- Cephalosporium* - like fungus, *Ulmus* spp., 134.
- Ceratostomella fimbriata*, sweet potato, 108.
- Cercospora apii carotae*, carrot, 120.
- circumscissa, plum, 82.
- fusca, pecan, 90.
- medicaginis, clover, 66.
- Cercospora alba-maculans*, turnip, 113.
- mori, mulberry, 88.
- Cerotelium gossypii*, cotton, 124.
- Chlorine injury, tobacco, 17, 21.
- Chlorosis, *Rosa* spp., 131.
- strawberry, 85.
- Cladosporium carpophilum*, peach, 77.
- cucumerinum, cantaloupe, 116.
- cucumber, 115.
- fulvum, tomato, 106.
- Claviceps purpurea*, rye, 53.
- Clitocybe tabescens*, citrus, 88.
- grapefruit, 88.
- orange, 88.
- tangerine, 88.
- Coarse etch, tobacco, 21, 128.
- Coccomyces hiemalis*, cherry, 82, 83.
- Collar rot (various organisms), tomato, 106.
- Colletotrichum caricae*, fig, 88.
- falcatum, sugar cane, 125.
- fragariae, strawberry, 85.
- lagenarium, cantaloupe, 116.
- watermelon, 117.
- lindemuthianum*, bean, 109.

Colletotrichum (Continued).

- nigrum*, pepper, 107.
- pisi*, pea, 119.
- Collybia dryophila*, blackberry, 87.
- Corticium vagum*, see also *Rhizoctonia solani*.
- cotton, 124.
- lettuce, 121.
- potato, 94.
- sweet clover, 66.
- tomato, 107.

Coryneum beijerinckii, almond, 90.

apricot, 83.

Cracked stems, celery, 118.

Crinkle-joint (undet.) barley, 52.

oats, 59.

wheat, 52.

Cronartium ribicola, *Pinus lambertiana* 132.

Pinus monticola, 132.

Pinus strobus, 133.

Ribes spp., 132.

Crown rot (undet.), pear, 76.

Cryptosporella viticola, grape, 84.

Cuscuta sp., *Callistephus chinensis*, 126.

pepper, 108.

tomato, 107.

arvensis, cantaloupe, 117.

carrot, 120.

Cytospora sp., *Picea pungens glauca*, 133.

Picea pungens kosteri, 133.

D

Damping-off, tobacco, 17.

Dark center (non-par.), rutabaga, 113.

turnip, 113.

Decline (undet.), date, 89.

Diplodia sp., watermelon, 118.

frumenti, corn, 60.

macrospora, corn, 60.

zeae, corn, 60.

Drought injury, apple, 75.

Castanea dentata, 133.

Drought Injury (Continued)

corn, 64.

cotton, 124.

Eucalyptus globulus, 133.

grape, 84.

peach, 81.

plum, 82.

potato, 98.

strawberry, 85.

tobacco, 17.

tomato, 107.

Drought spot, apple, 74.

beet, 120.

tobacco, 27.

E

Elsinoe canavaliae, lima bean, 112.

Endothia parasitica, *Castanea dentata*, 133.

Quercus rubra, 135.

Entyloma nymphaeae, *Nymphaea* spp., 130.

Erysiphe cichoracearum, pumpkin, 117.

squash, 117.

polygoni, bean, 111.

clover, 66.

Exoascus deformans, peach, 77.

mirabilis, plum, 82.

F

Fabraea maculata, pear, 76.

Fairy ring, cranberry, 87.

False blossom (virus) cranberry, 87.

Fasciation (undet.), alfalfa, 66.

Fern leaf, horseradish, 113.

Fertilizer injury, potato, 98.

Foot rot, wheat, 52.

Frenching (undet.), tobacco, 25.

Frost injury, blackberry, 87.

grape, 84.

tobacco, 21.

Fruit breakdown, grape, 84.

necrosis, prune, 82.

rots, cranberry, 87.

Fusarium spp., asparagus, 120.

Fusarium spp. (Continued).

- bean, 111.
- cantaloupe, 116.
- celery, see errata.
- cherry, 83.
- corn, 60.
- cowpea, 67.
- pea, 119.
- potato, 96.
- rhubarb, 122.
- spinach, 122.
- sweet potato, 108.
- conglutinans, cabbage, 112.
- callistephi, *Callistephus* chinensis, 126.
- cubense, banana, 89.
- eumartii, potato, 97.
- lycopersici, tomato, 101.
- martii, pea, 119.
- moniliforme, asparagus, 120.
- corn, 60.
- niveum, cantaloupe, 116.
- watermelon, 118.
- orthoceras pisi, pea, 119.
- oxysporum, potato, 97.
- nicotianae, tobacco, 27.
- semilectum, asparagus, 120.
- tracheiphilum, cowpea, 67.
- pea, 119.
- vasinfectum, cotton, 123.
- tracheiphilum, pea, 119.
- Fusicladium saliciperdatum*, *Salix* spp., 135.
- Fusisporium rubi*, blackberry, 87.

G

- Gibberella saubinetii*, barley, 55.
- corn, 60.
- rye, 53.
- wheat, 51.
- Girdle, beet, 120.
- Gloeodes pomigena*, blackberry, 87.
- pear, 76.
- Gloeosporium musarum*, banana, 89.
- Glomerella cingulata*, apple, 73.
- grape, 84.
- peach, 80.
- gossypii, cotton, 123.

- Gnomonia veneta*, *Quercus* spp., 135.
- Graphium ulmi*, *Ulmus* spp., 134.
- Gray disease (virus), *Narcissus* spp., 129.
- Guignardia bidwellii*, grape, 83.
- Gum pocket, prune, 82.
- Gymnoconia interstitialis*, loganberry, 87.
- raspberry, 86.
- Gymnosporangium germinale*, apple, 72.
- Crataegus* spp., 135.
- occidentalis, 135.
- oxyacantha, 135.
- pear, 76.
- globosum, apple, 72.
- Crataegus* spp., 135.
- juniperi-virginianae, apple, 71.

H

- Helicobasidium purpureum*, potato, 101.
- Helminthosporium* sp., corn, 64.
- date, 89.
- gramineum, barley, 55.
- sativum, barley, 55.
- wheat, 52.
- turcicum, corn, 64.
- Heterosporium variabile*, spinach, 122.
- Hopperburn, potato, 97, 98, 99, 100.

I

- Internal breakdown, apple, 74.
- Internal necrosis, sweet potato, 109.
- Isariopsis griseola*, bean, 112.
- Lathyrus odoratus*, 129.

K

- Kabatiella microsticta*, *Iris germanica*, 127.
- Kernel spot (stink bug), pecan, 90.
- Kunkelia nitens*, raspberry, 86.

L

- Leaf bleaching, grape, 84.
- Leaf curl (virus) raspberry, 86.
- Leaf drop (undet.), cranberry, 87.

Leaf roll (virus), potato, 96.
 Leaf spots (undet.), tobacco, 21.
 Leptothyrium pomi, blackberry, 87.
 Lightning injury, cabbage, 113.
 bean, 112.
 potato, 101.
 tomato, 107.
 Little leaf (undet.), coconut, 90.
 Lumpy rind, grapefruit, 88.
 orange, 88.

M

Macrophoma candollei, Buxus sempervirens, 130.
 diospyri, persimmon, 89.
 Macrosporium carotae, carrot, 120.
 cucumerinum, cantaloupe, 115.
 cucumber, 115.
 nigricantium, cotton, 123.
 Melanopsamma sp., squash, 117.
 Monilochaetes infuscans, sweet potato, 109.
 Mosaic, bean, 110.
 beet, 120.
 cantaloupe, 116.
 corn, 64.
 cucumber, 114.
 cucurbits, 114.
 Dianthus caryophyllus, 126.
 iris, 127.
 Lactuca scariola, 121.
 Lactuca scariola integrata, 121.
 lettuce, 121.
 Lilium spp., 128.
 Narcissus spp., 129.
 nightshade, 26.
 pepper, 107.
 pokeweed, 26.
 potato, 95.
 raspberry, 86.
 Rosa spp., 131.
 squash, 117.
 strawberry, 85.
 sugar cane, 125.
 sweet potato, 109.
 tobacco, 20, 25.
 tomato, 106.
 wheat, 53.

N

"No sprout" potatoes (undet.), 101.

O

Oedema, celery, 118.
 Oospora lactis, tomato, 107.
 Ophiobolus graminis, wheat, 52.
 heterostrophus, corn, 64.

P

Penicillium sp., date, 89.
 Peronospora effusa, spinach, 122.
 parasitica, cabbage, 113.
 schleideni, onion, 121.
 viciae, Vicia spp., 67.
 Vicia angustifolia, 67.
 Vicia villosa, 67.
 Pezizella lythri, strawberry, 85.
 Phoma destructiva, tomato, 107.
 Phomopsis sp., Acer palmatum rubrum, 135.
 Phony disease (virus), peach, 80.
 Phyllosticta leaf spot, tobacco, 21.
 solitaria, apple, 68, 71.
 Phymatotrichum omnivorum, alfalfa, 66.
 carrot, 120.
 cherry, 83.
 cotton, 124.
 Feijoa sellowiana, 89.
 potato, 101.
 rhubarb, 122.
 Physalospora malorum, see also Sphaeropsis malorum.
 apple, 72.
 peach, 80.
 pear, 76.
 Sorbus americana, 135.
 Physoderma zeae-maydis, corn, 64.
 Phytomonas rubrilineans, sugar cane, 125.
 rubrisubalbicans, sugar cane, 125.
 Phytophthora cactorum, rhubarb, 122.
 strawberry, 85.
 Syringa spp., 131.
 faberi, coconut, 90.
 infestans, potato, 91, 92, 93.

Phytophthora (Continued).

- infestans, tomato, 107.
- nicotianae, tobacco, 27.
- richardiae, Zantedeschia aethiopica, 125.
- terrestris, tomato, 107.
- Plasmopara viticola, grape, 84.
- Plectodiscella veneta, raspberry, 86.
- Pleosphaerulina briosiana, alfalfa, 66.
- Vicia monantha, 67.
- Potash hunger (non-par.), tobacco, 21, 27.
- Proliferation, watermelon, 118.
- Pseudoperonospora cubensis, cantaloupe, 116.
- citron, 115.
- cucumber, 114.
- watermelon, 118.
- humuli, hops, 125.
- Psyllid yellows, potato, 101.
- Puccinia asparagi, asparagus, 120.
- clematidis, Delphinium spp., 128.
- coronata, oats, 59.
- dispersa, rye, 53.
- graminis, barley, 54.
- oats, 56.
- rye, 53.
- wheat, 47.
- hibisciata, cotton, 124.
- iridis, Iris versicolor, 127.
- triticeina, wheat, 48.
- Pyrenopeziza medicaginis, alfalfa, 65.
- Pythium spp., corn, 60.
- lettuce, 121.
- papaya, 89.
- tobacco, 17.
- turnip, 114.

R

- Ramularia pastinacae, parsnip, 122.
- vallisumbrosae, Narcissus spp., 129.
- Rhizoctonia spp., Antirrhinum majus, 129.
- bean, 111.

Rhizoctonia spp., (Continued).

- cabbage, 113.
- cosmos, 126.
- pea, 119.
- rhubarb, 122.
- strawberry, 85.
- crocorum, potato, 101.
- microsclerotia, eggplant, 108.
- solani, see also Corticium vagum.
- tobacco, 18, 27.
- tuliparum, Tulipa spp., 130.
- Rhizopus sp., cantaloupe, 116.
- fig, 88.
- nigricans, strawberry, 85.
- Rhynchosporium secalis, barley, 55.
- Ring spot (virus), cantaloupe, 117.
- petunia, 26, 129.
- sweet clover, 66.
- tobacco, 21, 26.
- Root rot, bean, 111.
- onion, 122.
- pea, 119.
- pear, 76.
- strawberry, 85.
- Rosette (virus), peach, 80.
- Rosette (physiological), pecan, 90.
- Rough bark (over-nutrition), prune, 82.
- Rust (non-par.), cotton, 124.

S

- Sand drown (non-par.), cotton, 124.
- Sand drown, tobacco, 27.
- Scald, sweet potato, 109.
- Scaly bark (psoriasis), grapefruit, 88.
- Sclerotinia sp., sweet potato, 109.
- tobacco, 18.
- carunculoides, mulberry, 88.
- cinerea, almond, 90.
- fruticicola, cherry, 82.
- peach, 76, 78.
- plum, 81.
- Prunus cerasifera pissardi, 131.
- Prunus glandulosa, 131.
- Prunus japonica, 131.
- johansonii, Crataegus rotundifolia, 134.

Sclerotinia sp. (Continued).

- sclerotiorum, bean, 112.
- fig, 88.
- lettuce, 121.
- pepper, 107.
- tomato, 107.

Sclerotium sp., Zantedeschia

- aethiopica, 125.
- cepivorum, onion, 121.
- delphinii, Aconitum sp., 128.
- Iris germanica, 127.
- fulvum, wheat, 52.
- gladioli, Crocus multiflorus, 126.
- Freesia sp., 127.
- rolfsii, anemone, 125.
- Callistephus chinensis, 126.
- cantaloupe, 116.
- Dianthus barbatus, 129.
- iris, 127.
- potato, 101.
- soybean, 67.
- tobacco, 27.

Scorch, pea, 120.

Septoria sp., pea, 120.

- callistephi, Callistephus chinensis, 126.

- cucurbitacearum, pumpkin, 117.
- squash, 117.

- lycopersici, tomato, 102, 104, 105.
- nodorum, wheat, 51.
- tritici, wheat, 51.

Snakehead (mechanical injury),

- cucumber, 115.

Sphaeropsis, Ulmus spp., 134.

- malorum, see also Physalospora malorum.

Cotoneaster franchetti
cinerascens, 130.

Spindle tuber (virus), potato, 96.

Spray injury, peach, 81.

Stippen, apple, 74.

Strangulation, cotton, 124.

- lettuce, 121.

Streak (virus), raspberry, 86.

Sunscald, pepper, 108.

- tomato, 107.

T

Thielavia basicola, tobacco, 15, 25, 26.

Thielaviopsis sp., date, 89.

- paradoxa, coconut, 90.

- date, 89.

Tilletia spp., wheat, 1 - 5.

- levis, wheat, 43.

- tritici, wheat, 43.

Tipburn, lettuce, 121.

- potato, 97, 98, 99, 100.

- prune, 82.

Tobacco disease survey, 6 - 29, and

- errata.

Top blight, onion, 122.

Tranzschelia punctata, peach, 81.

Trunk rot, (undet.), coconut, 90.

Tubers without vines, potato, 101.

Tylenchus dipsaci, Hyacinthus sp., 127.

- Narcissus spp., 129.

- sweet potato, 109.

- pratensis, fig, 88.

- tritici, wheat, 52.

U

Urocystis tritici, wheat, 47.

Uromyces bicolor, onion, 121.

medicaginis, alfalfa, 66.

Ustilago avenae, oats, 55.

- hordei, barley, 53.

- levis, oats, 55.

- nuda, barley, 53.

- tritici, wheat, 46.

- zeae, corn, 59.

V

Vein banding (virus), tobacco, 26.

Venturia inaequalis, apple, 67, 69, 70.

- pyrina, pear, 76.

Vermicularia capsici, pepper, 107.

Verticillium sp., Ulmus spp., 134.

- alboatrum, Berberis thunbergi, 130.

- cotton, 123.

- eggplant, 108.

Verticillium sp. (Continued).
 alboatrum (Continued)
 raspberry, 86.
 tomato, 107.
 ovatum, 107.
 Virus disease, Delphinium spp., 128.
 Volutella buxi, Pachysandra sp., 131.
 dianthi, Dianthus barbatus, 129.

W

Water core, apple, 74.
 Wilt (bacterial undet.), lettuce, 121.
 Wilt (undet.), sweet clover, 66.
 Wilt "Marchitez" (undet.), coconut,
 90.
 Winter injury, alfalfa, 66.
 apple, 74.
 Buxus sempervirens, 130.
 cherry, 83.
 grape, 84.
 peach, 81.
 pear, 76.

Winter injury (Continued).
 plum, 82.
 raspberry, 86.
 Witches' broom (virus), potato, 101.

X

Xylaria sp., raspberry, 86.

Y

Yeast rot (yeast), fig, 88.
 Yellow dwarf (virus), onion, 122.
 Yellow dwarf (undet.), potato, 101.
 Yellows (virus), Callistephus chinensis,
 126.
 carrot, 120.
 celery, 118, and errata.
 lettuce, 121.
 peach, 80.
 salsify, 122.
 strawberry, 85.

Errata and Explanation

- p. 118. Aster yellows in Michigan is not a virus disease but is due to a Fusarium.
- p. 23. Table 10, first column under, South Carolina, read Dillon instead of Willow County.

